ELSEVIER

Gait and Posture 10 (1999) 281–282

GAIT & POSTURE

www.elsevier.com/locate/gaitpost

Author index

Volume 10 (1999)

Adams, R.D., see Dean, C.M. **10**, 147
Adams, R., see Dean, C. **10**, 135
Arendt-Nielsen, L., see Madeleine, P. **10**, 240
Austin, G.P., G.E. Garrett, R.W. Bohannon, Kinematic analysis of obstacle clearance during locomotion **10**, 109

Balmer, C., see Blanc, Y. **10**, 97
Battistutta, D., see Wearing, S.C. **10**, 255
Bauer, J., see Brunt, D. **10**, 121
Becker, M.B., see Dingwell, J.B. **10**, 21
Bennell, K.L., see Schache, A.G. **10**, 30
Blanch, P.D., see Schache, A.G. **10**, 30
Blanc, Y., C. Balmer, T. Landis, F. Vingerhoets, Temporal parameters and patterns of the foot roll over during walking: normative data for healthy adults **10**, 97
Boch, J., see Dingwell, J.B. **10**, 21
Bohannon, R.W., see Austin, G.P. **10**, 109
Bontrager, E.L., see Newsam, C.J. **10**, 223
Brunt, D., S.-M. Liu, M. Trimble, J. Bauer, M. Short, Principles underlying the organization of movement initiation from quiet stance **10**, 121
Bruzga, R.F., see Colby, S.M. **10**, 200

Cavanagh, P.R., see Dingwell, J.B. **10**, 21
Chambers, H.G., see Sutherland, D.H. **10**, 1
Colby, S.M., D.T. Kirkendall, R.F. Bruzga, Electromyographic analysis and energy expenditure of harness supported treadmill walking: implications for knee rehabilitation **10**, 200
Corry, I.S., A.P. Cosgrove, C.M. Duffy, T.C. Taylor, H.K. Graham, Botulinum toxin A in hamstring spasticity **10**, 206
Cosgrove, A.P., see Corry, I.S. **10**, 206

Dean, C.M., R.B. Shepherd, R.D. Adams, Sitting balance II: reach direction and thigh support affect the contribution of the lower limbs when reaching beyond arm's length in sitting **10**, 147
Dean, C., R. Shepherd, R. Adams, Sitting balance I: trunk–arm coordination and the contribution of the lower limbs during self-paced reaching in sitting **10**, 135
Dingwell, J.B., J.S. Ulbrecht, J. Boch, M.B. Becker, J.T. O'Gorman, P.R. Cavanagh, Neuropathic gait shows only trends towards increased variability of sagittal plane kinematics during treadmill locomotion **10**, 21
Duffy, C.M., see Corry, I.S. **10**, 206

Ferdjallah, M., G.F. Harris, J.J. Wertsch, Instantaneous postural stability characterization using time-frequency analysis **10**, 129

Garrett, G.E., see Austin, G.P. **10**, 109
Giacomozzi, C., see Macellari, V. **10**, 171
Graham, H.K., see Corry, I.S. **10**, 206
Gronley, J.A.K., see Newsam, C.J. **10**, 223

Han, T.R., N.J. Paik, M.S. Im, Quantification of the path of center of pressure (COP) using an F-scan in-shoe transducer **10**, 248
Harris, B.A., see Moxley Scarborough, D. **10**, 10
Harris, G.F., see Ferdjallah, M. **10**, 129
Honaker, J.T., see Roberts, C.S. **10**, 189
Horak, F.B., see Runge, C.F. **10**, 161

Im, M.S., see Han, T.R. **10**, 248

Kaufman, K.R., see Sutherland, D.H. **10**, 1
Kirkendall, D.T., see Colby, S.M. **10**, 200
Krebs, D.E., see Moxley Scarborough, D. **10**, 10
Krebs, D.E., see Park, S. **10**, 211
Kuczyński, M., K. Słonka, Influence of artificial saddle riding on postural stability in children with cerebral palsy **10**, 154

Landis, T., see Blanc, Y. **10**, 97
Liu, S.-M., see Brunt, D. **10**, 121

Macellari, V., C. Giacomozzi, R. Saggini, Spatial-temporal parameters of gait: reference data and a statistical method for normality assessment **10**, 171
Madeleine, P., M. Voigt, L. Arendt-Nielsen, Reorganisation of human step initiation during acute experimental muscle pain **10**, 240
Mann, R.W., see Park, S. **10**, 211
Martin, L., see Quaine, F. **10**, 233
Moxley Scarborough, D., D.E. Krebs, B.A. Harris, Quadriceps muscle strength and dynamic stability in elderly persons **10**, 10
Mubarak, S.J., see Sutherland, D.H. **10**, 1
Mulroy, S.J., see Newsam, C.J. **10**, 223

Newsam, C.J., S.S. Rao, S.J. Mulroy, J.A.K. Gronley, E.L. Bontrager, J. Perry, Three dimensional upper extremity motion during manual wheelchair propulsion in men with different levels of spinal cord injury **10**, 223

O'Gorman, J.T., see Dingwell, J.B. **10**, 21

Paik, N.J., see Han, T.R. **10**, 248
Park, S., D.E. Krebs, R.W. Mann, Hip muscle co-contraction: evidence from concurrent in vivo pressure measurement and force estimation **10**, 211
Perry, J., see Newsam, C.J. **10**, 223

Quaine, F., L. Martin, A biomechanical study of equilibrium in sport rock climbing **10**, 233

Rao, S.S., see Newsam, C.J. **10**, 223
Rash, G.S., see Roberts, C.S. **10**, 189

PII: S0966-6362(99)00044-2

Roberts, C.S., G.S. Rash, J.T. Honaker, M.P. Wachowiak, J.C. Shaw, A deficient anterior cruciate ligament does not lead to quadriceps avoidance gait **10**, 189
Runge, C.F., C.L. Shupert, F.B. Horak, F.E. Zajac, Ankle and hip postural strategies defined by joint torques **10**, 161

Saggini, R., see Macellari, V. **10**, 171
Schache, A.G., K.L. Bennell, P.D. Blanch, T.V. Wrigley, The coordinated movement of the lumbo–pelvic–hip complex during running: a literature review **10**, 30
Shaw, J.C., see Roberts, C.S. **10**, 189
Shepherd, R.B., see Dean, C.M. **10**, 147
Shepherd, R., see Dean, C. **10**, 135
Short, M., see Brunt, D. **10**, 121
Shupert, C.L., see Runge, C.F. **10**, 161
Slonka, K., see Kuczyński, M. **10**, 154
Smeathers, J.E., see Wearing, S.C. **10**, 255
Sutherland, D.H., K.R. Kaufman, M.P. Wyatt, H.G. Chambers, S.J. Mubarak, Double-blind study of botulinum A toxin injections into the gastrocnemius muscle in patients with cerebral palsy **10**, 1

Taylor, T.C., see Corry, I.S. **10**, 206
Trimble, M., see Brunt, D. **10**, 121

Ulbrecht, J.S., see Dingwell, J.B. **10**, 21
Urry, S., see Wearing, S.C. **10**, 255

Vingerhoets, F., see Blanc, Y. **10**, 97
Voigt, M., see Madeleine, P. **10**, 240

Wachowiak, M.P., see Roberts, C.S. **10**, 189
Wearing, S.C., S. Urry, J.E. Smeathers, D. Battistutta, A comparison of gait initiation and termination methods for obtaining plantar foot pressures **10**, 255
Wertsch, J.J., see Ferdjallah, M. **10**, 129
Whittle, M.W., Generation and attenuation of transient impulsive forces beneath the foot: a review **10**, 264
Wrigley, T.V., see Schache, A.G. **10**, 30
Wyatt, M.P., see Sutherland, D.H. **10**, 1

Zajac, F.E., see Runge, C.F. **10**, 161

ELSEVIER

Gait and Posture 10 (1999) 283–285

GAIT & POSTURE

www.elsevier.com/locate/gaitpost

Subject index

Volume 10 (1999)

ACL; EMG; Knee; Hamstrings; Quadriceps **10**, 189

ACL; Walking; Harness-support; Electromyography; Energy expenditure **10**, 200

Adults' normal data; Gait analysis; Foot switches; Foot roll over; Temporal parameters **10**, 97

Angular kinematics; Stepping over; Toe clearance; Heel clearance **10**, 109

Ankle strategy; Joint torque; Hip strategy; Postural control **10**, 161

Arm segments; Trunk; Vertical ground reaction force **10**, 135

Balance control; Sport rock climbing; Biomechanics; Mechanical equilibrium **10**, 233

Balance; Postural control; Center of pressure (COP); Time-frequency analysis; Instantaneous mean frequency (IMF); Instantaneous spectral bandwidth (ISP); Instantaneous average power (IAP) **10**, 129

Biomechanics; Gait analysis; Statistical models **10**, 171

Biomechanics; Running; Kinematics; Trunk; Lumbar spine; Pelvis; Hip **10**, 30

Biomechanics; Sport rock climbing; Mechanical equilibrium; Balance control **10**, 233

Botulinum A toxin; Gait; Cerebral palsy; Double-blind study; Equinus **10**, 1

Botulinum toxin; Cerebral Palsy; Hamstrings; Spasticity; Gait **10**, 206

Center of pressure (COP); Postural control; Balance; Time-frequency analysis; Instantaneous mean frequency (IMF); Instantaneous spectral bandwidth (ISP); Instantaneous average power (IAP) **10**, 129

Center of pressure; Pedobarography; F-scan; Gait analysis; Shoes **10**, 248

Centre-of-pressure; Postural stability; Cerebral palsy; Hippotherapy; Joint stiffness **10**, 154

Cerebral Palsy; Botulinum toxin; Hamstrings; Spasticity; Gait **10**, 206

Cerebral palsy; Gait; Botulinum A toxin; Double-blind study; Equinus **10**, 1

Cerebral palsy; Postural stability; Hippotherapy; Centre-of-pressure; Joint stiffness **10**, 154

Chair rise; Quadriceps muscle strength; Dynamic stability; Strategies; Gait; Elderly **10**, 10

Diabetes; Gait; Walking; Treadmill; Variability; Neuropathy **10**, 21

Double-blind study; Gait; Cerebral palsy; Botulinum A toxin; Equinus **10**, 1

Dynamic stability; Quadriceps muscle strength; Chair rise; Strategies; Gait; Elderly **10**, 10

Elderly; Quadriceps muscle strength; Dynamic stability; Chair rise; Strategies; Gait **10**, 10

Electromyography; Walking; Harness-support; Energy expenditure; ACL **10**, 200

EMG; ACL; Knee; Hamstrings; Quadriceps **10**, 189

EMG; Gait initiation; Stepping; Motor programming; Ground reaction forces **10**, 121

Energy expenditure; Walking; Harness-support; Electromyography; ACL **10**, 200

Equinus; Gait; Cerebral palsy; Botulinum A toxin; Double-blind study **10**, 1

Foot pressure; Gait protocol; Reliability **10**, 255

Foot roll over; Gait analysis; Foot switches; Temporal parameters; Adults' normal data **10**, 97

Foot switches; Gait analysis; Foot roll over; Temporal parameters; Adults' normal data **10**, 97

Footwear; Gait; Heelstrike; Transient forces; Viscoelastic materials **10**, 264

Force estimation; Hip muscle co-contraction; In vivo pressure measurement **10**, 211

F-scan; Center of pressure; Pedobarography; Gait analysis; Shoes **10**, 248

PII: S0966-6362(99)00045-4

Gait analysis: Biomechanics: Statistical models **10**, 171

Gait analysis: Center of pressure: Pedobarography: F-scan: Shoes **10**, 248

Gait analysis: Foot switches: Foot roll over: Temporal parameters: Adults' normal data **10**, 97

Gait: Botulinum toxin: Cerebral Palsy: Hamstrings: Spasticity **10**, 206

Gait: Cerebral palsy: Botulinum A toxin: Double-blind study: Equinus **10**, 1

Gait: Heelstrike: Transient forces: Footwear: Viscoelastic materials **10**, 264

Gait initiation: Stepping: Motor programming: EMG: Ground reaction forces **10**, 121

Gait protocol: Foot pressure: Reliability **10**, 255

Gait: Quadriceps muscle strength: Dynamic stability: Chair rise: Strategies: Elderly **10**, 10

Gait: Walking: Treadmill: Variability: Diabetes: Neuropathy **10**, 21

Ground reaction forces: Gait initiation: Stepping: Motor programming: EMG **10**, 121

Hamstrings: ACL: EMG: Knee: Quadriceps **10**, 189

Hamstrings: Botulinum toxin: Cerebral Palsy: Spasticity: Gait **10**, 206

Harness-support: Walking: Electromyography: Energy expenditure: ACL **10**, 200

Heel clearance: Stepping over: Angular kinematics: Toe clearance **10**, 109

Heelstrike: Gait: Transient forces: Footwear: Viscoelastic materials **10**, 264

Hip muscle co-contraction: In vivo pressure measurement: Force estimation **10**, 211

Hippotherapy: Postural stability: Cerebral palsy: Centre-of-pressure: Joint stiffness **10**, 154

Hip: Running: Biomechanics: Kinematics: Trunk: Lumbar spine: Pelvis **10**, 30

Hip strategy: Joint torque: Postural control: Ankle strategy **10**, 161

Instantaneous average power (IAP): Postural control: Balance: Center of pressure (COP): Time-frequency analysis: Instantaneous mean frequency (IMF): Instantaneous spectral bandwidth (ISP) **10**, 129

Instantaneous mean frequency (IMF): Postural control: Balance: Center of pressure (COP): Time-frequency analysis: Instantaneous spectral bandwidth (ISP): Instantaneous average power (IAP) **10**, 129

Instantaneous spectral bandwidth (ISP): Postural control: Balance: Center of pressure (COP): Time-frequency analysis: Instantaneous mean frequency (IMF): Instantaneous average power (IAP) **10**, 129

In vivo pressure measurement: Hip muscle co-contraction: Force estimation **10**, 211

Joint stiffness: Postural stability: Cerebral palsy: Hippotherapy: Centre-of-pressure **10**, 154

Joint torque: Hip strategy: Postural control: Ankle strategy **10**, 161

Kinematics: Running: Biomechanics: Trunk: Lumbar spine: Pelvis: Hip **10**, 30

Kinematics: Spinal cord injury: Paraplegia: Tetraplegia: Wheelchair propulsion **10**, 223

Knee: ACL: EMG: Hamstrings: Quadriceps **10**, 189

Lumbar spine: Running: Biomechanics: Kinematics: Trunk: Pelvis: Hip **10**, 30

Mechanical equilibrium: Sport rock climbing: Biomechanics: Balance control **10**, 233

Motor programming: Gait initiation: Stepping: EMG: Ground reaction forces **10**, 121

Movement: Posture: Sensory-motor interaction: Neurophysiological models **10**, 240

Muscle: Reaching: Support **10**, 147

Neuropathy: Gait: Walking: Treadmill: Variability: Diabetes **10**, 21

Neurophysiological models: Posture: Movement: Sensory-motor interaction **10**, 240

Paraplegia: Spinal cord injury: Kinematics: Tetraplegia: Wheelchair propulsion **10**, 223

Pedobarography: Center of pressure: F-scan: Gait analysis: Shoes **10**, 248

Pelvis: Running: Biomechanics: Kinematics: Trunk: Lumbar spine: Hip **10**, 30

Postural control: Balance: Center of pressure (COP): Time-frequency analysis: Instantaneous mean frequency (IMF): Instantaneous spectral bandwidth (ISP): Instantaneous average power (IAP) **10**, 129

Postural control: Joint torque: Hip strategy: Ankle strategy **10**, 161

Postural stability: Cerebral palsy: Hippotherapy: Centre-of-pressure: Joint stiffness **10**, 154

Posture: Movement: Sensory-motor interaction: Neurophysiological models **10**, 240

Quadriceps: ACL: EMG: Knee: Hamstrings **10**, 189

Quadriceps muscle strength: Dynamic stability: Chair rise: Strategies: Gait: Elderly **10**, 10

Reaching: Muscle: Support **10**, 147

Reliability: Gait protocol: Foot pressure **10**, 255

Running: Biomechanics: Kinematics: Trunk: Lumbar spine: Pelvis: Hip **10**, 30

Sensory-motor interaction: Posture: Movement: Neurophysiological models **10**, 240

Shoes: Center of pressure; Pedobarography; F-scan; Gait analysis **10**, 248

Spasticity: Botulinum toxin; Cerebral Palsy; Hamstrings; Gait **10**, 206

Spinal cord injury: Kinematics; Paraplegia; Tetraplegia; Wheelchair propulsion **10**, 223

Sport rock climbing: Biomechanics; Mechanical equilibrium; Balance control **10**, 233

Statistical models: Biomechanics; Gait analysis **10**, 171

Stepping: Gait initiation; Motor programming; EMG; Ground reaction forces **10**, 121

Stepping over: Angular kinematics; Toe clearance; Heel clearance **10**, 109

Strategies: Quadriceps muscle strength; Dynamic stability; Chair rise; Gait; Elderly **10**, 10

Support: Reaching; Muscle **10**, 147

Temporal parameters: Gait analysis; Foot switches; Foot roll over; Adults' normal data **10**, 97

Tetraplegia: Spinal cord injury; Kinematics; Paraplegia; Wheelchair propulsion **10**, 223

Time-frequency analysis: Postural control; Balance; Center of pressure (COP); Instantaneous mean frequency (IMF); Instantaneous spectral bandwidth (ISP); Instantaneous average power (IAP) **10**, 129

Toe clearance: Stepping over; Angular kinematics; Heel clearance **10**, 109

Transient forces: Gait; Heelstrike; Footwear; Viscoelastic materials **10**, 264

Treadmill: Gait; Walking; Variability; Diabetes; Neuropathy **10**, 21

Trunk: Arm segments; Vertical ground reaction force **10**, 135

Trunk; Running; Biomechanics; Kinematics; Lumbar spine; Pelvis; Hip **10**, 30

Variability; Gait; Walking; Treadmill; Diabetes; Neuropathy **10**, 21

Vertical ground reaction force: Trunk; Arm segments **10**, 135

Viscoelastic materials: Gait; Heelstrike; Transient forces; Footwear **10**, 264

Walking: Gait; Treadmill; Variability; Diabetes; Neuropathy **10**, 21

Walking: Harness-support; Electromyography; Energy expenditure; ACL **10**, 200

Wheelchair propulsion: Spinal cord injury; Kinematics; Paraplegia; Tetraplegia **10**, 223